APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office MAY 2 8 1969
Retu	urned to applicant for correction JUL 7 1969
Согл	rected application filed
Map	o filed
of	The applicant. Herbert W. Ramont P. O. Box 1242 Modesto , County of ,
	c of California , hereby make application for permission to appropriate the public
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	; if a copartnership or association, give names of members.)
1.	The source of the proposed appropriation is High Meadow Springs Name of stream, lake or other source.
2.	The amount of water applied for is. 1.5 One second-foot equals 448.83 gals, per min.
	(a) If stored in reservoir give number of acre-feet acre-feet
3.	The water to be used for Recreation (Golf Course) and domestic Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 11, Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: NW1/NE1/2 Sec. 35 T.14N.,
	R.18E.M.D.B.&M. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
6.	it should be stated. Place of use NE Sec. 34, T.14N., R.18E., M.D.B.&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.
7.	Use will begin about Jan 1st and end about Dec 31st , of each year.
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
	and specifications of your diversion or storage works.) Collection works and pipe-
	1 ine State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

10. Estimated tim	
	ne required to construct works 3 yrs.
11. Remarks	

••••	
	erbert W. Ramont
присант	
Compared jw/	By'jb
Compared	
	OF STATE ENGINEER
This is to cer	tify that I have examined the foregoing application, and do hereby grant the same, subject to t
following limitation	
	······································
,,	

The amount of wat	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a
The amount of wat	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a
The amount of wat	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a
The amount of wat	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second work shall begin on or before ement of work shall be filed before. secuted with reasonable diligence and be completed on or before
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second. In work shall begin on or before
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second
The amount of wat not to exceed	cubic feet per second. cubic feet per second. n work shall begin on or before. cented with reasonable diligence and be completed on or before. n of work shall be filed before. cer to beneficial use shall be made on or before. ation of water to beneficial use shall be filed on or before.
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second. n work shall begin on or before. centent of work shall be filed before. cented with reasonable diligence and be completed on or before. cer to beneficial use shall be made on or before. cer to beneficial use shall be filed on or before. cer to beneficial use shall be filed on or before. cork filed
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a cubic feet per second n work shall begin on or before ement of work shall be filed before secuted with reasonable diligence and be completed on or before or to beneficial use shall be made on or before ation of water to beneficial use shall be filed on or before proof of beneficial use shall be filed on or before ork filed IN TESTIMONY WHEREOF, I. State Engineer of Nevada, have hereunto set my hand and the seal my office, this day of
The amount of wat not to exceed	ter to be appropriated shall be limited to the amount which can be applied to beneficial use, a
The amount of wat not to exceed	filed